

List of Tables and Figures

	Executive summary	33	Figure 11 Prevalence of obesity (>95th centile), by region and deprivation quintile, children aged 10–11 years, 2007/8
17	Figure 1 Life expectancy and disability-free life expectancy (DFLE) at birth, persons by neighbourhood income level, England, 1999–2003		
17	Figure 2 Age standardised mortality rates by socio-economic classification (NS-SEC) in the North East and South West regions, men aged 25–64, 2001–2003	38	Chapter 1 Figure 1.1 Life expectancy and disability-free life expectancy (DFLE) at birth, persons by neighbourhood income level, England, 1999–2003
19	Figure 3 Age standardised percentage of women with a General Health Questionnaire (GHQ) score of 4 or more by deprivation quintile, 2001 and 2006	40	Figure 1.2 Guiding principles for sustainable development
19	Figure 4 The conceptual framework	41	Figure 1.3 The conceptual framework
20	Figure 5 Action across the life course	42	Figure 1.4 Stages of the life course and the accumulation of effects
23	Figure 6 Inequality in early cognitive development of children in the 1970 British Cohort Study, at ages 22 months to 10 years	42	Figure 1.5 Actions across the life course
25	Figure 7 Standardised limiting illness rates in 2001 at ages 16–74, by education level recorded in 2001	43	Figure 1.6 Age standardised mortality rates by socio-economic classification (NS-SEC) in the North East and South West regions, men aged 25–64, 2001–2003
27	Figure 8 Mortality of men in England and Wales in 1981–92, by social class and employment status at the 1981 Census		Chapter 2
29	Figure 9 Taxes as a percentage of gross income, by quintile, 2007/8	44	Figure 2.1 Life expectancy at birth by social class, (a) males and (b) females, England and Wales, 1972–2005
30	Figure 10 Populations living in areas with, in relative terms, the least favourable environmental conditions, 2001–6	45	Figure 2.2 Relative difference in infant mortality rates between babies with fathers in routine and manual occupations and all with parents married or jointly registered, 1994/6–2005/7
		46	Figure 2.3 Trends in the infant mortality PSA target indicator 1997/9 to 2006/8 and projections to 2009/11

47	Figure 2.4 Life expectancy at birth in England and in Spearhead areas, (a) males and (b) females, 1995–7 to 2006–8	58	Figure 2.15 Obesity prevalence at ages 16 and over by social class, (a) males and (b) females, 1997–2007
48	Figure 2.5 Difference between (a) male and (b) female life expectancy in 1995/7 and that in (i) 2002/4 and (ii) 2006/8 for Spearhead and Non-spearhead local authorities, by level of life expectancy in 1995/7	59	Figure 2.16 Prevalence of obesity (>95th centile) by region and deprivation quintile for children aged 10–11 years, 2007/8
49	Figure 2.6 Age standardised mortality rates by socio- economic classification (NS-SEC) and region, men aged 25–64, 2001–2003	60	Figure 2.17 Prevalence of problematic drug users aged 15–64 years by local authority of residence and Index of Multiple Deprivation, 2006/7
50	Figure 2.7 Percentage of (a) males and (b) females with limiting long-term illness, by age and socioeconomic classification (NS-SEC), 2007	61	Figure 2.18 Maths scores from ages 7–16 years by birth weight and social class at birth, 1958 National Child Development Study
51	Figure 2.8 Number of years from birth spent with dis- ability, persons by neighbourhood income level, England, 2001	61	Figure 2.19 Estimated number of infant deaths that would be avoided if all quintiles had the same level of mortality as the least deprived, 2005–6
52	Figure 2.9 Disability-free life expectancy at birth, persons, regional averages at each neighbourhood income level, England, 1999–2003	62	Figure 2.20 Links between socioeconomic status and factors affecting child development, 2003–4
53	Figure 2.10 Age standardised (a) circulatory disease and (b) cancer death rates at ages under 75, by local ward deprivation level, 1999 and 2001–2003	63	Figure 2.21 Inequality in early cognitive development of children in the 1970 British Cohort Study, at ages 22 months to 10 years
54	Figure 2.11 Age standardised percentage of women with a General Health Questionnaire (GHQ) score of 4 or more by deprivation quintile, 2001 and 2006	64	Figure 2.22 Indicators of school readiness by parental income group, 2008
55	Figure 2.12 Rates of poor social/emotional adjustment at ages 7, 11 and 16, by father's social class at birth, 1958 National Child Development Study	65	Figure 2.23 Attainment gap from early years to higher education by eligibility for free school meals, 2009
56	Figure 2.13 Percentage of (a) males and (b) females smoking, by socioeconomic class (NS-SEC), 2001–7	65	Figure 2.24 Percentage of pupils achieving 5 or more A*-C grades at GCSE or equivalent by gender, free school meal eligibility and ethnic group, 2008/9
57	Figure 2.14 Alcohol-attributable hospital admissions by small area deprivation quintile in England, 2006–2007	66	Figure 2.25 Percentage of pupils achieving 5 or more A*-C grades including English and Maths at GCSE by income deprivation of area of residence, England, 2008/9
		67	Figure 2.26 Standardised limiting illness rates in 2001 at ages 16–74, by education level recorded in 2001

67	Figure 2.27 Standardised limiting illness rates at ages 55 and over in 2001 by the educational level they had in 1971	80	Figure 2.41 Distance travelled per person per year in Great Britain, by household income quintile and mode, 2008
68	Figure 2.28 Unemployment rate by previous occupation, July–September 2009	81	Figure 2.42 Child deaths by socioeconomic class (NS-SEC), 2001–2003
69	Figure 2.29 Mortality of men in England and Wales in 1981–92, by social class and employment status at the 1981 Census		Chapter 3
70	Figure 2.30 Employment rates among working age adults by type of disability, 2008	87	Figure 3.1 The existing delivery system
71	Figure 2.31 Proportion of men with limiting long-standing illness in work, by educational qualifications, 1974–6, 1988–90, 2001–3		Chapter 4
71	Figure 2.32 Seasonally adjusted trends in unemployment rates for young people in the UK, 1992–2009	95	Table 4.1 Variation in the distribution of expenditure on childhood education by age in selected European countries, 2003
72	Figure 2.33 The association of civil service grade with job control, Whitehall II study, 1985–88	96	Figure 4.1 Education expenditure by age group, 2001–8
73	Figure 2.34 The social gradient in the metabolic syndrome, Whitehall II study, 1991–1993	100	Figure 4.2 Reading at age 11 by social class and pre-school experience, findings from the Effective Provision of Pre-School Education Project (EPPE), 2008
74	Figure 2.35 Percentage shares of equivalised income, by quintile groups for all households, 2007/8	117	Figure 4.3 Taxes as a percentage of gross income, by quintile, 2007/8
75	Figure 2.36 Contribution of original income, taxes and benefits to final income, by quintile, 2007/8	118	Figure 4.4 Effect of tax credits on taking children in working families out of the low income bracket, 1997–2008
75	Figure 2.37 Percentage shares of equivalised total gross and post-tax income, by quintile groups for all households, 1978–2007/8	120	Figure 4.5 Minimum Income Standard as a percentage of median income, April 2008
77	Figure 2.38 Percentage distribution of total household wealth by component, 2006–8	121	Table 4.2 Income Support levels in relation to poverty thresholds and Minimum Income Standards, by family type, 2008/9
78	Figure 2.39 Median total wealth by socioeconomic class (NS-SEC), 2006–8	127	Figure 4.6 Proportion reporting any cycling in a typical week in the previous year, by social grade, 2006 and 2009
79	Figure 2.40 Populations living in areas with, in relative terms, the least favourable environmental conditions, 2001–6	130	Figure 4.7 Percentage of population by social grade who visit a green space infrequently in a year, 2009

- 131 Figure 4.8
Modelled changes in air pollution concentration due to London Congestion Charge, by area of London and level of socioeconomic deprivation, 2003–07
- 133 Figure 4.9
The risk of fuel poverty according to household income, 2009
- 136 Figure 4.10
Percentage of those lacking social support, by deprivation of residential area, 2005
- 142 Table 4.3
Ill health prevention expenditure in England (£m), based on OECD definitions, 2006/7
- 145 Figure 4.11
Evidence of the effect of smoking cessation interventions across the social gradient
- 147 Figure 4.12
Prevalence of underweight, overweight and obese children in Year 6, by ethnic category, England, 2008/9
- 147 Figure 4.13
Minutes per day spent doing sport, on school and non-school days, across four income bands, 2007

Chapter 5

- 152 Figure 5.1
Future delivery scenario
- 164 Figure 5.2
Framework for indicators and targets